



Protocol Rheumatoid Arthritis

--	--	--

Site Number

--	--	--	--	--

Subject Number

Joint Space Narrowing Assessment - Sharp/Genant

1 Joint Space Narrowing Assessment - Sharp/Genant

Complete assessment on one side/laterality before beginning assessment for the other side of the body. Assign corresponding score based on scoring method used.

Date of Collection (DD-MM-YYYY) MKDAT	Method used to assess Joint Space MKMETHOD Narrowing	Scoring Method Used MKTEST	Laterality MKLAT								
<table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>											<input type="radio"/> Right <input type="radio"/> Left

2 Joint Space Narrowing Assessment - SG HAND/WRIST

MKLOC	Anatomical Site	MKSTRESC Joint Space Narrowing Score	Not Done MKSTAT	Reason Not Done MKREASND where MKSTAT ="NOT DONE"	
2.1	IP I	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify MKREAOTH <table border="1"><tr><td></td></tr></table>	
2.2	PIP II	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <table border="1"><tr><td></td></tr></table>	
2.3	PIP III	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <table border="1"><tr><td></td></tr></table>	



Protocol Rheumatoid Arthritis

--	--	--

Site Number

--	--	--	--	--

Subject Number

Joint Space Narrowing Assessment - Sharp/Genant

2 Joint Space Narrowing Assessment - SG HAND/WRIST

	Anatomical Site	Joint Space Narrowing Score	Not Done	Reason Not Done
2.4	PIP IV	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>
2.5	PIP V	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>
2.6	MCP I	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>
2.7	MCP II	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>



Protocol Rheumatoid Arthritis

--	--	--

Site Number

--	--	--	--	--

Subject Number

Joint Space Narrowing Assessment - Sharp/Genant

2 Joint Space Narrowing Assessment - SG HAND/WRIST

	Anatomical Site	Joint Space Narrowing Score	Not Done	Reason Not Done
2.8	MCP III	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>
2.9	MCP IV	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>
2.10	MCP V	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>
2.11	CMC III-V	<input type="radio"/> 0 = Normal <input type="radio"/> .5 = Questionable <input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone <input type="radio"/> 1.5 = Mild-moderate, definite medium erosion <input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone <input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone <input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone <input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone	<input type="checkbox"/>	<input type="radio"/> Inadequate Image Quality <input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration <input type="radio"/> Other Specify <div></div>



Protocol Rheumatoid Arthritis

--	--	--

Site Number

--	--	--	--	--

Subject Number

Joint Space Narrowing Assessment - Sharp/Genant

2 Joint Space Narrowing Assessment - SG HAND/WRIST

	Anatomical Site	Joint Space Narrowing Score	Not Done	Reason Not Done
2.12	Scaphoid – Lunate – Capitate	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>
2.13	Radiocarpal	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>

3 Joint Space Narrowing Assessment - SG FOOT JOINTS

	Anatomical Site	Joint Space Narrowing Score	Not Done	Reason Not Done
3.1	IP I	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>



Protocol Rheumatoid Arthritis

--	--	--

Site Number

--	--	--	--	--

Subject Number

Joint Space Narrowing Assessment - Sharp/Genant

3 Joint Space Narrowing Assessment - SG FOOT JOINTS

	Anatomical Site	Joint Space Narrowing Score	Not Done	Reason Not Done
3.2	MTP I	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>
3.3	MTP II	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>
3.4	MTP III	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>
3.5	MTP IV	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>



Protocol Rheumatoid Arthritis

--	--	--

Site Number

--	--	--	--	--

Subject Number

Joint Space Narrowing Assessment - Sharp/Genant

3 Joint Space Narrowing Assessment - SG FOOT JOINTS

	Anatomical Site	Joint Space Narrowing Score	Not Done	Reason Not Done
3.6	MTP V	<p><input type="radio"/> 0 = Normal</p> <p><input type="radio"/> .5 = Questionable</p> <p><input type="radio"/> 1 = Mild, definite small erosions, <25% of articular bone</p> <p><input type="radio"/> 1.5 = Mild-moderate, definite medium erosion</p> <p><input type="radio"/> 2 = Moderate, definite erosion, 26-50% of articular bone</p> <p><input type="radio"/> 2.5 = Moderate-severe, definite erosion, 51-75% of articular bone</p> <p><input type="radio"/> 3 = Severe, definite erosion, 76-90% of articular bone</p> <p><input type="radio"/> 3.5 = Very severe, definite erosion, nearly complete loss of articular bone</p>	<input type="checkbox"/>	<p><input type="radio"/> Inadequate Image Quality</p> <p><input type="radio"/> Amputation/Missing anatomy/Joint replacement/Surgical alteration</p> <p><input type="radio"/> Other</p> <p>Specify</p> <div></div>